

ETAL2

ETK ECU Adapter with short ED supply and GND lines, JST PAP
- open wires (5fc - 2c+3c), 0m136 / 0m25

Data Sheet

Copyright

The data in this document may not be altered or amended without special notification from ETAS GmbH. ETAS GmbH undertakes no further obligation in relation to this document. The software described in it can only be used if the customer is in possession of a general license agreement or single license. Using and copying is only allowed in concurrence with the specifications stipulated in the contract.

Under no circumstances may any part of this document be copied, reproduced, transmitted, stored in a retrieval system or translated into another language without the express written permission of ETAS GmbH.

© Copyright 2018 ETAS GmbH, Stuttgart

The names and designations used in this document are trademarks or brands belonging to the respective owners.

Document ETAL2 R02_EN – 08.2018

Contents

- 1 Introduction.....5
 - 1.1 View.....5
- 2 Technical Data6
 - 2.1 ECU Signals6
 - 2.2 Mechanical Dimension6
- 3 Ordering Information7
- 4 ETAS Contact Addresses.....8

Figures

Figure 1: View5
Figure 4: Dimension6

1 Introduction

Adapts ETK-S20 or ETK-S21 Power signals to an ECU. GND and VDDSTBY are shorter to minimize the voltage drop..

1.1 View




Figure 1: View

2 Technical Data

2.1 ECU Signals

Pin	Color	Signal	Signal
1	Red	SGUBATT1	Car Battery
2	Green	Cal_Wakeup	Switch to UBatt. ECU wake-up signal (for measurement preparation)
3	Black	GND	Power GND
4	Yellow	VDDSTBY (Supply)	Permanent power supply for ECU ED-RAM
5	Pink	VDDPSTBY	Permanent power supply for ECU Interface

2.2 Mechanical Dimension

measured in mm




Figure 2: Dimension

3 **Ordering Information**

Short Name	Order - Number
ETAL2	F 00K 107 680

4 ETAS Contact Addresses

ETAS HQ

ETAS GmbH

Borsigstraße 24

70469 Stuttgart

Germany

Phone: +49 711 3423 0

Fax: +49 711 3423 2106

WWW: www.etas.com*ETAS Subsidiaries and Technical Support*

For details of your local sales office as well as your local technical support team and product hotlines, take a look at the ETAS website:

ETAS subsidiaries

WWW: www.etas.com/en/contact.php

ETAS technical support

WWW: www.etas.com/en/hotlines.php